plastic surgical treatment of individual lesions may be of considerable benefit.

REFERENCES

- 1. Ebling FJ, Rook A: The sebaceous gland, In Rook A, Wilkinson DS, Ebling FJG (Eds): Textbook of Dermatology, 2nd Ed, Vol 2. Oxford, Blackwell Scientific Publications, 1972, pp 1545-1546
- 2. Kligman AM: An overview of acne. J Invest Derm 62:268-287, Mar 1974
- 3. Cunliffe WJ, Cotterill JA: The Acnes—Clinical Features, Pathogenesis and Treatment. London, WB Saunders Co, 1975
- 4. Plewig G, Christophers E, Braun-Falco O: Proliferative cells in the human sebaceous gland. Acta Derm Venereol (Stockh) 51:413-422, 1971
- 5. Calman KC, Muir AV, Milne JA, et al: Survey of the distribution of the steroid dehydrogenases in sebaceous glands of human skin. Br J Derm 82:567-571, Jun 1970
- 6. Milne JA: Acne vulgaris, In Rook A (Ed): Recent Advances in Dermatology, No 3. Edinburgh, Churchill-Livingstone, 1972, p 231
- 7. Plewig G, Kligman AM: Acne Morphogenesis and Treatment. New York, Springer-Verlag, 1975
- 8. Adachi K: Receptor proteins for androgen in hamster sebaceous glands. J Invest Derm 62:217-223, Mar 1974
- 9. Hay JB: A study of the in vitro metabolism of androgens by human scalp and pubic skin. Br J Derm 97:237-246, Sep 1977
- 10. Knutson D: Ultrastructural observations in acne vulgaris—The normal sebaceous follicle and acne lesions. J Invest Derm 62:288-307, Mar 1974
- 11. Woo-Sam PC: Cohesion of horny cells during comedo formation—An electron microscope study. Br J Derm 97:609-615, Dec 1977

- 12. Blair C, Lewis CA: The pigment of comedones. Br J Derm 82:572-583, Jun 1970
- 13. Sansone G, Reisner RM: Differential rates of conversion of testosterone to dihydrotestosterone in acne and in normal skin—A possible pathogenic factor in acne. J Invest Derm 56:366-372, May 1971
- 14. Bonne C, Saurate J, Chivot M, et al: Androgen receptor in human skin. Br J Derm 97:501-503, Nov 1977
- 15. Krakow R, Downing DT, Strauss J, et al: Identification of a fatty acid in human skin surface lipids apparently associated with acne vulgaris. J Invest Derm 61:286-289, Nov 1973
- 16. Puhvel SM, Sakamoto M: An in vivo evaluation of the inflammatory effect of purified comedonal components in human skin. J Invest Derm 69:401-406, Oct 1977
- 17. Pye RJ, Meyrick G, Burton JL: Free fatty acids in the early inflammatory papule of acne vulgaris. Clin Exper Derm 2:355-359, Dec 1977
- 18. Epstein E: Thyroid neoplasm after radiation therapy for acne. Arch Derm 114:1017, Jul 1978
- 19. Kligman AM, Fulton JE, Plewig G: Topical vitamin A acid in acne vulgaris. Arch Derm 99:469-476, Apr 1969
- 20. Resh W, Stoughton RB: Topically applied antibiotics in acne vulgaris—Clinical response and suppression of Corynebacterium acnes in open comedones. Arch Derm 112:182-184, Feb 1976
- 21. Michaelsson G, Juhlin L, Ljunghall K: A double-blind study of the effect of zinc and oxytetracycline in acne vulgaris. Br J Derm 97:561-566, Nov 1977
- 22. Orris L, Shalita AR, Sibulkin D, et al: Oral zinc therapy of acne. Arch Derm 114:1018-1020, Jul 1978
- 23. Peck GL, Olsen TG, Yoder FW, et al: Prolonged remissions of cystic and conglobate acne with 13-cis-retinoic acid. N Engl J Med 300:329-333, Feb 1979

Anticipating Arrhythmias

ATTENTION TO DETAIL is all important in cardiac arrhythmias. Find out when your patient has arrhythmias. Sometimes arrhythmias cluster in certain periods of the day. And if that is the case, then you want to tailor your therapy so that the patient gets the maximum therapy before he is apt to have these arrhythmias. If in fact the arrhythmias cluster in the morning or evening, let's say, then organize your therapy around that—and give the patient a larger dose of antiarrhythmic medication an hour or so before the arrhythmias are expected.

-G. CHARLES OLIVER, MD, St. Louis

Extracted from Audio-Digest Internal Medicine, Vol. 26, No. 5, in the Audio-Digest Foundation's subscription programs. For subscription information: 1577 E. Chevy Chase Drive, Glendale, CA 91206